

	Type	Hits	Search Text
1	BRS	2842338	comb or actuator or carriage or e adj block or swing adj arm or vcm or ((voice or drive or driving) adj2 coil) or ((oscillat\$4 or linear) adj2 motor) or magnetic adj "2" circuit or coil\$1 near3 bobbin or (magnet\$1 near6 yoke\$1) or ((oscillat\$4 or magnetic) adj2 rotor) or ((electro adj magnet\$3 or electromagnet\$3) adj2 (drive or driving)) or g11b021/02.ipc.
2	BRS	107515	yoke\$1 or (magnetic near2 circuit) or ((ferro adj magnetic or ferromagnetic) near2 plate\$1)
3	BRS	617437	((E or C or arc) near2 shap\$5) or fork\$3 or prong\$1 or cantilever\$3 or bend\$3 or bent
4	BRS	1622	(coil near3 (axis or axes)) near5 (orthogonal\$4 or normal or perpendicular\$4 or vertical\$4 or horizontal\$4 or orientat\$6)
5	BRS	362	S1 and S4
6	BRS	14143	(coil\$1) near3 (orthogonal\$4 or normal or perpendicular\$4 or vertical\$4 or horizontal\$4 or orientat\$6)
7	BRS	4439	S1 and S6
8	BRS	4184	S7 not S5
9	BRS	0	g11b\$/ipc.
10	BRS	0	g11b\$/ipc.
11	BRS	225	g11b\$/ipc.
12	BRS	620884	g11b\$.ipc.
13	BRS	288	S8 and S12

	DBs	Time Stamp	Comments	Error Definition
1	EPO; JPO; DERWENT	2006/05/19 12:04		
2	EPO; JPO; DERWENT	2006/05/19 12:06		
3	EPO; JPO; DERWENT	2006/05/19 12:56		
4	EPO; JPO; DERWENT	2006/05/19 12:20		
5	EPO; JPO; DERWENT	2006/05/19 12:10		
6	EPO; JPO; DERWENT	2006/05/19 12:56		
7	EPO; JPO; DERWENT	2006/05/19 12:20		
8	EPO; JPO; DERWENT	2006/05/19 12:20		
9	EPO; JPO; DERWENT	2006/05/19 12:21		
10	EPO; JPO; DERWENT	2006/05/19 12:21		
11	EPO; JPO; DERWENT	2006/05/19 12:21		
12	EPO; JPO; DERWENT	2006/05/19 12:21		
13	EPO; JPO; DERWENT	2006/05/19 12:21		

	Errors	Ref #
1		S1
2		S2
3		S3
4		S4
5		S5
6		S6
7		S7
8		S8
9		S9
10		S10
11		S11
12		S12
13		S13

	Type	Hits	Search Text
14	BRS	66	(coil\$1) near3 (orthogonal\$4 or normal or perpendicular\$4 or vertical\$4 or horizontal\$4 or orientat\$6)
15	BRS	2634	S1 and S2 and S3
16	BRS	341	S12 and S15
17	BRS	40113	g11b021/\$.ipc.
18	BRS	87	S16 and S17
19	BRS	831782	((E or C or arc) near2 shap\$5) or fork\$3 or prong\$1 or cantilever\$3 or bend\$3 or bent
20	BRS	22955	(coil\$1) near3 (orthogonal\$4 or normal or perpendicular\$4 or vertical\$4 or horizontal\$4 or orientat\$6)
21	BRS	20197	VCM or (voice adj coil)
22	BRS	847348	S19 or S20
23	BRS	5708	S21 and S22
24	BRS	46813	"360"/\$.ccls.
25	BRS	2556	S23 and S24
26	BRS	24514	((((E or C or arc) near2 shap\$5) with (yoke\$1 or core\$1)) or ((yoke\$1 or core\$1) with (fork\$3 or prong\$1 or cantilever\$3 or bend\$3 or bent)))
27	BRS	46363	S20 or S26
28	BRS	1146	S21 and S27
29	BRS	380	S24 and S28
30	BRS	345	@ad<="20031125" and S29

	DBs	Time Stamp	Comments	Error Definition
14	IBM_TDB	2006/05/19 12:38		
15	EPO; JPO; DERWENT	2006/05/19 12:40		
16	EPO; JPO; DERWENT	2006/05/19 12:40		
17	EPO; JPO; DERWENT	2006/05/19 12:41		
18	EPO; JPO; DERWENT	2006/05/19 12:41		
19	US-PGPUB; USPAT	2006/05/19 12:58		
20	US-PGPUB; USPAT	2006/05/19 12:56		
21	US-PGPUB; USPAT	2006/05/19 12:57		
22	US-PGPUB; USPAT	2006/05/19 12:57		
23	US-PGPUB; USPAT	2006/05/19 12:57		
24	US-PGPUB; USPAT	2006/05/19 12:57		
25	US-PGPUB; USPAT	2006/05/19 12:57		
26	US-PGPUB; USPAT	2006/05/19 13:23		
27	US-PGPUB; USPAT	2006/05/19 13:23		
28	US-PGPUB; USPAT	2006/05/19 13:23		
29	US-PGPUB; USPAT	2006/05/19 13:23		
30	US-PGPUB; USPAT	2006/05/19 18:28		

	Errors	Ref #
14		S14
15		S15
16		S16
17		S17
18		S18
19		S19
20		S20
21		S21
22		S22
23		S23
24		S24
25		S25
26		S26
27		S27
28		S28
29		S29
30		S30